SAFETY DATA SHEET

NASDELL Coating



Section 1. Identification

Product identifier	: DERAYAN Coating Part A
Product type	: Liquid
Product use	: Hi-Temperature Coating
Supplier	: PodLee International LTD.
ADD	: 7400 S Miller Rd, Buckeye, AZ 85326, USA
EMERGENCY TELEPHONE NUMBER	: +1 213 9868879

Section 2. Composition/information on ingredients

PART B			
Ingredient name	:	CAS number	%
Potassium silicate (aqueous solution)	:	1312-76-1	20–95
Fluorine-modified silicone emulsion	:	—	2–25

Classification of the substance or	:	Not classified
mixture		
GHS label elements		
Hazard pictograms	:	Not Applicable
Signal word	:	Not classified
Hazard statements	:	PHYSICAL HAZARDS:
		Not classified as a physical hazard under GHS criteria.
		HEALTH HAZARDS:
		Not classified as a physical hazard under GHS criteria.
		ENVIRONMENTAL HAZARDS:
		Not classified as a physical hazard under GHS criteria.
Precautionary statements		
Prevention	:	Wear eye protection as required.
		Wear full face-shield during thermal processing if contact with molten material is possible.
		Wash hands thoroughly after handling.
Response	:	IF IN EYES: Rinse cautiously with water for several minutes.
		Remove contact lenses, if present and easy to do. Continue
		rinsing. Seek immediate medical attention
		IF SWALLOWED, Seek immediate medical attention.
Storage	:	Not applicable.
Disposal	:	Not applicable.
Other hazards	:	Defatting to the skin.

Section 4. First aid meas	ure	S
Skin contact	:	Rinse with plenty of water and soap. Remove and isolate
		contaminated clothing and shoes. Keep the patient warm. If
		you feel skin irritation or a rash, please get medical aid.
Eye contact	:	Wash immediately with plenty of water. After the initial
		cleaning, remove the invisible eyes and continue cleaning for
		at least 15 minutes. Wash immediately with plenty of water.
		After the initial cleaning, remove the invisible eyes and
		continue cleaning for at least 15 minutes.
Inhalation	:	If remove to fresh air. Seek medical attention if cough or other
		symptoms develop or persist.
Ingestion	:	Normally not needed, if large quantities are ingested or if you
		feel unwell, please get medical attention.
Most important symptoms and	:	At processing temperatures, the combined ingredients
effects, both acute and delayed		(elastomer and other processing ingredients) may emit fumes
		and vapors that may cause irritation to the eyes. Processing
		operations may create vapors or fumes which may cause
		respiratory tract irritation.

Section 5. Firefighting measures

Hazardous Combustion Products	:	Heating decomposition products flammable gas.
Suitable extinguishing Media	:	Fog water, foam, dry powder
Extinguishing media to avoid	:	Use extinguishing media suitable for Class A fires (ordinary
		combustibles). Carbon dioxide is generally not recommended
		for use on Class A fires as a lack of cooling capacity may
		result in reignition.
Specific Hazards	:	Special precautions must be taken if this product is ground or
		otherwise formed into a fine powder or dust since many
		organic substances in these forms present a dust explosion
		hazard. Dust in sufficient quantities may be ignited in air.
		Minimize dust generation and accumulation. Minimize
		activities which will float or suspend particles in air. Protect
		from sources of ignition.
		Toxic gases may be formed upon combustion and represent a
		hazard to firefighters.
Special fire fighting	:	Wear fire-resistant clothing and air respirators in restricted
		spaces.
Protection of fire-fighters	:	Firefighters must use standard protective equipment including
-		flame retardant coat, helmet, gloves, rubber boots, and SCBA.

Section 6. Accidental release measures

Product Name: NASDELL Hi-	Temperature Coating	Page: 2 / 7
Version 2.01	Date of issue 10/27/2024	Language English

Avoid contact with spilled or released materials. For guidance on the selection of personal protective equipment, see Chapter 8 of the safety data sheet. Please refer to Chapter 13 for disposal information. Please comply with all applicable local and international regulations.

Personal precautions	:	Wear long sleeves and gloves to prevent skin contact. Launder contaminated clothing before reuse. Wash thoroughly after handling.
Clean-up methods and materials and containment measures	:	As with all industrial chemicals, use of good chemical hygiene and environmental stewardship practices recommended. Do not walk through spilled material. Clean up spills immediately. Do not flush spill to drain without permission from the appropriate authority.
Regulatory Requirements	:	Follow applicable OSHA regulations (29CFR 1910.120).

Section 7. Handling and storage

Handling and Technical measures	:	Product will emit fumes and vapors when heated to processing
and Safe handling advice		temperatures. Use only with adequate ventilation. Do not
		breathe (dust, vapor or fumes). Wash thoroughly after
		handling. Do not eat, drink or smoke in processing areas.
		Clean up following normal processing must be performed with
		adequate ventilation. Elastomer may be held at process
		temperatures for a short time without significant thermal
		degradation. However, exposure to elevated temperatures or
		excessive time will result in decomposition. Equipment should
		not be shut down for extended time periods with compound in
		it or decomposition may occur. Processing fume condensates,
		which may include toxic contaminants, may be combustible
		and should be periodically removed from exhaust hoods, duct
		work, and other surfaces. Protective clothing and gloves
		should be worn during cleanup operations to prevent skin
		contact. Combustible dust clouds may be created where
		operations produce dust.
		Minimize dust generation and accumulation, especially on
		horizontal surfaces and duct work. Handling and processing
		operations should be conducted in accordance with NFPA-654
		or similar best practices. Abnormal conditions such as
		equipment malfunction or using improper equipment or
		procedures, or hangup or stagnation of material during
		processing may cause composition. Employees involved in
		removing decomposing material should be provided suitable
		air supplied respirators, such as an approved positive pressure
		self-contained breathing apparatus. Compounding ingredients
		added to elastomer products may require special handling. It is
		the user's responsibility to follow the recommended
		precautions of the individual additive suppliers.
Storage conditions	:	Store indoors in a cool, ventilated and dry place. Keep away

from heat source and kindling, and protect against freezing and rain, avoid sun exposure. Avoid contact with oxidants. The container shall be grounded to prevent static electricity. Storage temperature: $41^{\circ}F/5^{\circ}C - 104^{\circ}F/40^{\circ}C$. Storage period: 24 months.

Section 8. Exposure controls/personal protection

	NT 1
Maximum permissible	: No data available.
concentration	
Monitoring method	: No data available.
Engineering measures	: No data available.
Ventilation	: Provide good ventilation to ensure that the volatile gas content
	in the indoor volume is below the allowable limit value.
Respiratory protection	: When the air concentration exceeds the standard, wear self-
	priming filter gas mask (half face), and wear air respirator or
	oxygen respirator during emergency rescue or evacuation.
Protective Clothing/Equipment	: Wear penetrating work clothes.
Contaminated Equipment	: Separate contaminated work clothes from street clothes.
	Launder before reuse. Remove this material from your shoes
	and clean personal protective equipment.
Other protection	: Smoking, eating and drinking are strictly prohibited in the
	workplace, bathing and changing clothes after work, regular
	physical examination.
	1 2

Section 9. Physical and chemical properties

Арр	pearance	:	Liquid, (cream white)
PH		:	No data.
Pro	portion	:	Flash Point: Not applicable
Boi	ling point, Initial boiling point	:	No data.
and	boiling range		
Rela	ative density (water=1)	:	No data.
Rela	ative vapor density (air =1)	:	No data.
Sati	urated vapor pressure (kPa)	:	No data.
Hea	at of combustion (KJ/mol)	:	No data.
The	e critical temperature (°C)	:	No data.
Cri	tical pressure (MPa)	:	No data.
Opj	posite value of octanol/water	:	No data.
dist	ribution coefficient		
Flas	sh point	:	No data.
Aut	to-ignition temperature	:	No data.
Exp	olosive limit % (V/V)	:	No data.
Exp	olosion threshold %(V/V)	:	No data.
Mo	lecular formula	:	No data.

Molecular weight	:	No data.
Evaporation rate	:	No data.
Viscosity	:	No data.
Solubility	:	Not soluble in water.

Section 10. Stability and reactivity

Chemical stability	:	At room temperature and pressure.
Incompatible materials	:	No data.
Conditions to avoid	:	High temperature, open flame, incompatible materials,
		Strong oxidant
Hazardous decomposition products	:	Carbon monoxide, Carbon dioxide.

Section 11. Toxicological information

Acute Toxicity	: Routes of entry anticipated: Oral, Dermal, Inhalation, Eyes.			
Skin corrosion/irritation	No known significant effects or critical hazards.			
Inhalation	: Vapour inhalation under ambient conditions is not normally a			
	problem due to low vapour pressure.			
Skin contact	: Defatting to the skin. May cause skin dryness and irritation.			
Ingestion	: No known significant effects or critical hazards.			
Eye contact	: No specific data.			
Inhalation	: No specific data.			
Skin contact	: Adverse symptoms may include the following: irritation,			
	dryness, cracking			
Ingestion	: No specific data.			

Section 12. Ecological information

Toxicity	:	No known significant effects or critical hazards.
Environmental effects		
Persistence/degradability	:	Expected to be biodegradable.
Bioaccumulative potential	:	No specific data.
Other ecological information	:	No data.

Section 13. Disposal considerations

Disposal methods	:	Recover or recycle if possible. It is the responsibility of the		
		waste generator to determine the toxicity and physical properties		
		of the material generated to determine the proper waste		
		classification and disposal methods in compliance with		
		applicable regulations. Do not dispose in drains or in water.		
Local disposal regulations	:	In accordance with the regulations currently in force and as far		
		as possible, they should be disposed of by an approved waste		

collector or contractor. Disposal methods should comply with local/regional/national/international regulations.

Section 14. Transport information

Land transport (as per	:	This substance is not classified as dangerous under ADR/RID
ADR/RID classification)		regulations.
Inland waterways transport	:	This substance is not classified as dangerous under ADN
(ADN)		regulations.
Sea transport (IMDG)	:	This substance is not classified as dangerous under IMDG
		regulations.
Air transport (IATA)	:	This substance is not classified as dangerous under IATA
		regulations.
DOT (US)	:	This substance is not classified as dangerous under DOT
		regulations.

Section 15. Regulatory information

Applicable regulations		Chemical Hazardous Materials Safety Management Regulations
Applicable regulations	•	
		(promulgated by the State Council on February 17, 1987),
		Chemical Hazardous Materials Safety management.
		Regulations Implementation Rules (Chemical Labor
		Development [1992] 677), regulations on the safe use of
		chemicals in the workplace ([1996] No. 423 of the Ministry of
		Labor Affairs) and other regulations, have made corresponding
		regulations on the safe use, production, storage, transportation,
		loading and unloading of chemical dangerous goods.
Chemical Weapon Convention	:	Not listed.
List Schedules I, II & III		
chemicals		
Montreal Protocol	:	Not listed.
Stockholm Convention on	:	Not listed.
Persistent Organic Pollutants		
Rotterdam Convention on Prior	:	Not listed.
Informed Consent (PIC)		
UNECE Aarhus Protocol on	:	Not listed.
POPs and Heavy Metals		

Section 16. Other information

:	10/27/2024
:	10/26/2019
:	2.01
:	Product Stewardship
	:

Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from PodLee Company.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The PodLee company shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the PodLee company to ensure that this document is the most current available. Alteration of this document is strictly prohibited.